

Form - IV (See rule 13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

91	Particulars		The state of the s
1	Particulare of the Occupier		Modical Officer, OHC
-	(i) Name of the authorised person (occupier or	:	
-	operator of facility)		
	(ii) Name of HCF or CBMWTF	:	cye, wordtrogon
1	(iii) Address for Correspondence	;	KI Bosch Jus
			71/-
	(iv) Address of Facility		1060soffmyans
	(v)Tcl. No. Fax. No		h h na si agai
	(vi) E-mail ID		nha beachagosiagon
	(vii) URL of Website		
	(viii) GPS coordinates of HCF or CBMWTF		(State Government or Private or
	(ix) Ownership of HCF or CBMWTF		Semi Govt. or any other)
	(x). Status of Authorisation under the Bio-Medical	:	Authorisation No.:
	Waste (Management and Handling) Rules		.80029
	(xi). Status of Consents under Water Act and Air	1:	Valid up to:
	Act	7	NA NA
2.	Type of Health Care Facility	2	
٠.	fi) Bedded Hospital	1;	No. of Beds:
	the same of the sa	1:	CAN
	(ii) Non-hedded hospital	1	
Š	(Clinic or Blood Bank or Clinical Laboratory or		
	Research Institute or Veterinary Hospital or any		Ng
	other)		
	(iii) License number and its date of expiry		NA
3.	Details of CBMWTF	1:	
-	(i) Number healthcare facilities covered by	:	
	CBMWTF		
-	(ii) No of beds covered by CBMWTF	:	. 6
	(iii) Installed treatment and disposal capacity of		NA Kg per day

Committee of the control of the cont	
(iv) Quantity of biomedical waste treated or disposing by CBMWTF	sed :Kg/day
4. Quantity of waste generated or disposed in Kg	per : Yellow Category : 1041 Kg/
unnum (on monthly average hasis)	
	White: 686 KV
	Blue Category: 448 kg
	General Solid waste: 2 CAG S
5. Details of the Storage, treatment, transportation, p	
(i) Details of the on-site storage : Siz	AND THE PROPERTY OF THE PROPER
Annual An	pacity:
The state of the s	ovision of on-site storage : (cold storage or)
일반장 경우 [경우: 18] 18 1 - 19 1 -	y other provision)
	Type of treatment No Cap Quantity
	equipment of acit treatedo
0	unit y r
	s Kg/ disposed
	day in kg
	per
	annum
	Incinerators
	Plasma Pyrolysis
	Autoclaves
G) and the second of the secon	Microwave C
	Hydroclave.
	Shredder
	Needle tip cutter or - 84
	destroyer /
4	Sharps
	encapsulation or - concrete pit -
Ch.	Deep burial pits:
	Chemical
	disinfection:
	Any other treatment
$\Diamond \lambda^{\circ}$	equipment:
(iii) Quantity of recyclable wastes : R	ed Category (like plastic, glass etc.)
sold to authorized recyclers after	
treatment in kg per annum.	0 686
(iv) No of vehicles used for collection 1	
and transportation of biomedical	Of
waste	. I for the second of the seco
(v) Details of incineration ash and	Quantity Where
ETP sludge generated and disposed	generated disposed

_	luring the treatment of wastes in Kg	Incineration Ash
ţ	per annum	ETP Sludge
1	(vi) Name of the Common Bio- :	
	Medical Waste Treatment Facility	
	Operator through which wastes are	. 20
	disposed of	The second secon
i	(vii) List of member HCF not handed	
	over hig-medical waste.	
	Do you have bio-medical waste	
	management committee? If yes, attach	yee
	minutes of the meetings held during	
	the reporting period	
	Details trainings conducted on BMW .	
	(i) Number of trainings conducted on	03
	BMW Management.	<i>p</i> 3
	(ii) number of personnel trained	03
	(iii) number of personnel trained at	ID.
	the time of induction	10
	(iv) number of personne) not	
	undergone any training so far	
	(v) whether standard manual for	yes
	training is available?	
	(vi) any other information)	, January 182
8		
	during the year	NUI
	(i) Number of Accidents occurred	
	(ii) Number of the persons affected	MIN .
	(iii) Remedial Action taken (Please	-
-	attach details if any)	
	(iv) Any Fatality occurred, details.	The state of the s
1	O. Are you meeting the standards of air	_ N4 _
	Pollution from the incinerator? How	
	many times in last year could not met	
a property	the standards?	
-	Details of Continuous online emission	
	monitoring systems installed	
1	10 Liquid waste generated and treatment	yes Chaban Room, LA
	methods in place. How many times	yes Labour Robing, LA
	you have not met the standards in a	1
	year?	
t	Is the disinfection method or	

12	standards? How many times you have not met the standards in a year? Any other relevant information :	(Air Pollution Control Devices attached with the Incinerator)		
	C)			

			A Company of the Comp		
Bartanaha kataman katam	James	b US Tra	oldecers	bor all	
 			January Maria		
 		₩	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,

Date: 14/12/2024
Place Randinger

e and Signature of the Mead of the Institution
Medical officer Messelver
CHC Bandhugaon
CHC Bandhugaon